






ADVANTAGES

- Easy installation
- · Low operating cost
- · Ease of service
- Multiple configurations and options available
- Recirculating fluids prevents corrosion, scaling, and freeze damage in piping
- Closed-loop system eliminates additional water cost
- No water treatment necessary after initial set up
- For use with propylene or ethylene glycol and a variety of refrigeration oils



CONSTRUCTED for All Climates

- Fully assembled and stress tested at the factory
- Heavy-gauge galvanized steel protects against corrosion
- Weathertight control panel provides protection against harsh elements



Stainless Steel Support Tubes

Truncated Tube Sheet

Levitor coil design to eliminate tube wear while reducing sound levels.







ENGINEERED to Meet the Toughest Industry Demands

Designed to Meet Exact Fluid Cooler Requirements

Process Cooling Applications

- Extruders, presses, smelters, liquid injection molding, and plating operations
- Data centers in colder ambient environments utilizing "free cooling" of glycol with commercial HVAC





Use your QR reader to reference current document version on www.krack.com.

Industry Applications

- Chemical and petrochemical process systems
- Ethanol, biodiesel, and/or gasoline refineries
- Supermarkets
- Pharmaceutical
- Plastics, lasers, and coolants for automotive processing
- Laser, stamping, welding, and hydroforming for metal working
- Other solutions include paint lines, bottling plants, power generation, and laser welding

FEATURES

- High efficiency fan motors
- Optional vent and drain connections
- Multiple fan/motor combinations
- Up to 7 fans with single arrangements
- Up to 14 fans for double row arrangements
- High efficiency coils with copper tubes expanded into aluminum fins
- NEMA 3R control panel
- Available in 8, 10, or 12 fins per inch
- Helium leak tested
- Optional Vspeed variable speed motor solution available for accurate temperature control and energy savings
- Optional hinged fan panel provides easy access for fan cleaning, maintenance, and inspection
- Optional Electrofin or Heresite coils available for coastal area applications
- Painted housing available





NOTE: We reserve the right to change or revise specifications and product design in connection with any feature of our products.

Such changes do not entitle the buyer to corresponding changes, improvements, additions, or replacements for equipment previously sold or shipped.



Krack, a Hussmann Corporation brand For all customers inquiries, visit www.krack.com or call 800.922.1919.

www.krack.com www.hussmann.com